



Delock External Enclosure M.2 Key B 42 mm SSD > USB 3.0 Type Micro-B female with encryption function

Description

This enclosure by Delock enables the installation of an M.2 SSD in 2242 and 2230 format, it can be connected via USB Type-A to the PC or laptop. By the help of the buttons on the top side it is possible to encrypt a partition on the built-in storage.



Note

Please save the data on the storage before you format it otherwise the data will be lost. Please pay attention that you can't access to the data if you lost the password.

Specification

· Connectors:

external: 1 x USB 3.0 Type Micro-B female internal: 1 x 67 pin M.2 key B slot

Chipset: Initio INIC3607

· Interface: SATA

- Supports M.2 modules in format 2242 and 2230 with key B or key B+M based on SATA
- Maximum height of the components on the module: 1.35 mm, application of double-sided assembled modules supported
- Data transfer rate up to 5 Gbps
- 12 buttons
- · LED indicator
- Encryption method: AES-256
- Colour: black
- Dimensions (LxWxH): ca. 93 x 50 x 13 mm
- · Hot Plug, Plug & Play

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 4.10.3
- PC or laptop with a free USB Type-A port

Package content

- External enclosure
- 1 x cable USB A male to USB Micro-B male, length ca. 50 cm
- 1 x screw
- Screwdriver
- User manual

Item no. 42594

EAN: 4043619425945

Country of origin: China

Package: Retail Box





Images







General	
Function:	standard
	Hot Plug
	Plug & Play
Supported operating system:	standard
	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	ex Linux Kernel 4.10.3
Supported module:	standard
	M.2 modules in format 2242 and 2230 with key B or key B+M based on SATA
Maximum height of the components on	standard
the module:	1.35 mm application of double-sided assembled modules supported
Interface	
External:	standard
	1 x USB 3.0 Type Micro-B female
Internal:	standard
	1 x 67 pin M.2 key B slot
Technical characteristics	
Chipset:	standard
	Initio INIC3607
Data transfer rate:	standard
	5 Gbps
Physical characteristics	
Housing material:	standard
	Plastic
	Aluminium
Length:	standard
	93 mm
Width:	standard
	50 mm
Height:	standard
	13 mm
Colour:	standard
	grey / black